

Specification for 200W/300W pulse laser cleaning machine



Shenzhen Scotle Technology Group Limited

Office Address: No.14, 2F, Building Y1, Bantian Street Creative Park, Longgang District, Shenzhen, 518027, China

Factory Address: Room 401, 4th Floor, Building A, Tianhaichuang Technology Park, Qiuchang Street, Huiyang District, Huizhou City 516083, Guangdong Province, China

Packing list

Product Accessories



Pulse Laser Cleaning Machine



FWH50-P 10A Pulse laser cleaning gun



4pc protective lens



JPT Laser Source



Blowing device



Parts 1



Protective glasses/Gloves




Positioning frame



Parts 2

Parameters

Name	Parameter	
Laser power	200W	300W
Laser source brand	JPT (GZTECH for optional)	
Voltage	AC 100-120V/ AC 200-240V	
Total power	1000W	1500W
Cooling methods	Air cooled	
Laser working mode	Pulsed	
Fiber cable length	5M	
Laser gun model	FWH50-10A	
Light beam	Single mode Gaussian light/ Multi-mode flat-top light	
Scanning speed	≤30000mm/s	
Optical interface	QCS φ 17	
Wavelength range	1070 ± 20nm	
Field lens	Default F210(F160/F254/F330 optional)	Default F254(F160/F210/F330 optional)
Field lens protective lens	D48*3	
Scan range	125mm	145mm
Oscillation frequency	≤200Hz	
Cleaning efficiency	≤5 m ² /h	
Communication port	RS232	
Effective aperture	Φ 25	
Cleaning type(8 modes)		
Languages	28 languages	
Working Environment temperature	5~40℃	
Packing Size:	70*50*64cm	
Packing Weight	52KG	